



21559

PATENT TRADEMARK OFFICE

RECEIVED
APR 11 2001
TECH CENTER 1600/2900

Sheet 1 of 1

| | | |
|---|---------------------|---------------------------|
| SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. §1.98(b)) | Attorney Docket No. | 01997/521003 |
| | Serial No. | 09/717,743 |
| | Applicant | Rajesh Ranganathan et al. |
| | Filing Date | November 21, 2000 |
| | Group | 1632 |
| | IDS Filed | April 5, 2001 |
| Customer No. | 21559 | |

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

| Examiner's Initials | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation (Yes/No) |
|---------------------|-----------------|------------------|--------------------------|-------|----------|----------------------|
| | | | | | | |

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

| | |
|----|--|
| 96 | Ali et al., "Ionotropic and metabotropic activation of a neuronal chloride channel by serotonin and dopamine in the leech <i>Hirudo medicinalis</i> ," <i>Journal of Physiology</i> , 509.1: 211-219, 1998. |
| 1 | De Montigny et al., "Tricyclic antidepressants: long-term treatment increases responsivity of rat forebrain neurons to serotonin," <i>Science</i> , 202:1303-1306, 1978. |
| | Garner et al., "Serotonin activates Cl ⁻ channels in the apical membrane of rat choroid plexus epithelial cells," <i>Eur. J. Pharmacol.</i> , 239:31-37, 1993. |
| | Hung et al., "Regulation of mouse choroid plexus apical Cl ⁻ and K ⁺ channels by serotonin," <i>Brain Res.</i> , 617:285-295, 1993. |
| | Koumenis et al., "Identification of Three Proteins in the Eye of Aplysia, Whose Synthesis Is Altered by Serotonin (5-HT)," <i>Journal of Biological Chemistry</i> , 270(24):14619-14627, 1995. |
| | Lessmann et al., "Two kinetically distinct 5-hydroxytryptamine-activated Cl ⁻ conductances at Retzius P-cell synapses of the medicinal leech," <i>J. Neurosci.</i> , 15:1496-1505, 1995. * |
| | Lessmann et al., "Development of Serotonin-Induced Ion Currents in Identified Embryonic Retzius Cells From the Medicinal Leech (<i>Hirudo medicinalis</i>)," <i>The J. of Neuroscience</i> , 11(3):800-809, 1991 |
| | Liu et al., "High-Throughput Isolation of <i>Caenorhabditis elegans</i> Deletion Mutants," <i>Genome Research</i> , 9:859-887, 1999. |
| | Madison et al., "Phorbol esters block a voltage-sensitive chloride current in hippocampal pyramidal cells," <i>Nature</i> , 321:695-697, 1986. |
| | Munsch and Schlue, "Intracellular chloride activity and the effect of 5-hydroxytryptamine on the chloride conductance of leech Retzius neurons," <i>Eur. J. Neurosci.</i> , 5:1551-1557, 1993. |
| | Parra et al., "How many subtypes of inhibitory cells in the hippocampus?," <i>Neuron</i> , 20:983-993, 1998. |
| | Ranganathan and Horvitz, "mod-1 and mod-5, Two Genes Involved in the Serotonin-Mediated Experience-Dependent Modulation of Locomotion," 1998 East Coast C. <i>elegans</i> Meeting, May 12, 1998. |
| | Ranganathan et al., "An Ionotropic Serotonin Receptor and a Serotonin Reuptake Transporter are Involved in Experience-Dependent Modulation of Behavior," 1999 International C. <i>elegans</i> Meeting, March 17, 1999. |
| ✓ | Scrogin et al., "Multiple receptor subtypes mediate the effects of serotonin on rat subfornical organ neurons," <i>Am. J. Physiol.</i> , 275(6 Pt 2):R2035-R2042, 1998. |

| | |
|----------------------------|--------------------------|
| EXAMINER <i>Joe Wootch</i> | DATE CONSIDERED 10/20/02 |
|----------------------------|--------------------------|

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

01997.521003 1449 Form.wpd



Sheet 1 of 2

MAY 03 2002

RECEIVED

TECH CENTER 1600/2900

| | | | |
|---|--|---------------------|---------------------------|
| SUBSTITUTE FORM PTO-1449 (MODIFIED) INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. §1.98(b)) | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | Attorney Docket No. | 01997/521003 |
| | | Serial No. | 09/717,743 |
| | | Applicant | Rajesh Ranganathan et al. |
| | | Filing Date | November 21, 2000 |
| | | Group | 1632 |
| | | IDS Filed | April 23, 2002 |
| | | Customer No. | 21559 |

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

| Examiner's Initials | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation (Yes/No) |
|---------------------|-----------------|------------------|--------------------------|-------|----------|----------------------|
| | | | | | | |

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

| | |
|----|--|
| 9w | Blakely et al., "Cloning and Expression of a Functional Serotonin Transporter from Rat Brain," <i>Nature</i> 354:66-70 (1991). |
| | Choy and Thomas, "Fluoxetine-Resistant Mutants in <i>C. elegans</i> Define a Novel Family of Transmembrane Proteins," <i>Mol. Cell</i> 4:143-152 (1999). |
| | Corey et al., "A Cocaine-Sensitive <i>Drosophila</i> Serotonin Transporter: Cloning, Expression, and Electrophysiological Characterization," <i>Proc. Natl. Acad. Sci. USA</i> 91:1188-1192 (1994). |
| | Demchyshyn et al., "Cloning, Expression, and Localization of a Chloride-Facilitated, Cocaine-Sensitive Serotonin Transporter from <i>Drosophila melanogaster</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 91:5158-5162 (1994). |
| | Desai et al., "A Genetic Pathway for the Development of the <i>Caenorhabditis elegans</i> HSN Motor Neurons," <i>Nature</i> 336:638-646 (1988). |
| | Hamdan et al., "Characterization of a Novel Serotonin Receptor from <i>Caenorhabditis elegans</i> : Cloning and Expression of Two Splice Variants," <i>Journal of Neurochemistry</i> 72:1372-1383 (1999). |
| | Horvitz et al., "Serotonin and Octopamine in the Nematode <i>Caenorhabditis elegans</i> ," <i>Science</i> 216:1012-1014 (1982). |
| | Huang et al., "Alternative-Splicing of Serotonin Receptor Isoforms in the Pharynx and Muscle of the Parasitic Nematode, <i>Ascaris suum</i> ," <i>Molecular and Biochemical Parasitology</i> 101:95-106 (1999). |
| | Mendel et al., "Participation of the Protein G _i in Multiple Aspects of Behavior in <i>C. elegans</i> ," <i>Science</i> 267:1652-1655 (1995). |
| | Olde and McCombie, "Molecular Cloning and Functional Expression of a Serotonin Receptor from <i>Caenorhabditis elegans</i> ," <i>Journal of Molecular Neuroscience</i> 7:53-62 (1997). |
| | Ramamoorthy et al., "Antidepressant- and Cocaine-Sensitive Human Serotonin Transporter: Molecular Cloning, Expression, and Chromosomal Localization," <i>Proc. Natl. Acad. Sci. USA</i> 90:2542-2546 (1993). |
| | Ranganathan et al., "MOD-1 is a Serotonin-Gated Chloride Channel that Modulates Locomotory Behaviour in <i>C. elegans</i> ," <i>Nature</i> 408:470-475 (2000). |
| | Sawin, "Genetic and Cellular Analysis of Modulated Behaviors in <i>Caenorhabditis elegans</i> ," Massachusetts Institute of Technology, (Ph.D. Thesis) (1996). |
| | Sawin et al., " <i>C. elegans</i> Locomotory Rate Is Modulated by the Environment through a Dopaminergic Pathway, and by Experience through a Serotonergic Pathway," <i>Neuron</i> 26:619-631 (2000). |

EXAMINER

DATE CONSIDERED

10/15/02

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

01997.521003 Supp. Form PTO-1449.wpd

